| DATA FIELD: ___ | FPI (FREEZE PIC INDICATOR) | | | | | | | | LEGEND: C = CONDITIONAL |

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	O	O	N	N	O	O	N	N	O

DATA CHARACTERISTICS: 1A

VALID VALUES:

A, B, E, R,S, T

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO_ _ _ _ _ _ _ _ _

FPI VALID ENTRIES MUST BE A, B, E, R, S, T

PORT-12

5:54 PM10/8/97

DATA FIELD: **PIC (PRIMARY INTEREXCHANGE CARRIER)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P9**
REQTYP									
F	R	R	R	R	R	R	R	R	R

DATA CHARACTERISTICS: 2A OR 4AN

VALID VALUES:

VALID PIC CODE (4 NUMERICS), NONE, DFLT, OR NA

ERROR CODE: _ _ _ _ ERROR MSG: TELNO_ _ _ _ _ _ _ _ _ _

PIC REQUIRED PER UNIQUE TELEPHONE NUMBER

ERROR CODE: _ _ _ _ ERROR MSG: TELNO_ _ _ _ _ _ _ _ _

PIC VALID ENTRIES ARE: VALID PIC CODE OF 4 NUMERICS, NONE, DFLT, OR NA

PORT-13

DATA FIELD: ____ **LPIC (INTRALATA PRESUBSCRIPTION INDICATOR CODE)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	R	R	R	R	R	R	R	R	R

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 2A OR 4AN

VALID VALUES:

VALID PIC CODE (4 NUMERICS), NONE, DFLT OR NA

ERROR CODE: ____ ERROR MSG: TELNO_____

LPIC DATA REQUIRED PER UNIQUE TELEPHONE NUMBER

ERROR CODE: ____ ERROR MSG: TELNO_____

LPIC VALID ENTRIES ARE VALID LPIC CODE OF 4 NUMERICS, NONE, DFLT, OR NA FOR GA, FL, KY

ERROR CODE: ____ ERROR MSG: TELNO_____

LPIC DATA MUST BE NA FOR AL, LA, MS, TN, NC, SC

PORT 14

DATA FIELD: ___ **TC OPT (TRANSFER OF CALLS OPTIONS)**

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P0
REQTYP									
F	P	O	O	P	P	P	O	O	P

DATA CHARACTERISTICS: 2N

VALID ENTRIES:

00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO_ _ _ _ _ _ _ _ _ _

TC OPT PROHIBITED ON THIS ACT TYPE

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO_ _ _ _ _ _ _ _ _ _

TC OPT VALID ENTRIES ARE 00, 03, 05, 08, 21, 23, 25, 26, 31, 51, 81

PORT-15

DATA FIELD: **TCTO PRIMARY (TRANSFER OF CALLS TO PRIMARY)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	N	C	C	N	N	N	C	C	N

EDITS:

FATAL - CONDITIONAL

1. REQUIRED WHEN TC OPT FIELD = 81

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO_ _ _ _ _ _ _ _ _ _

TCTO PRIMARY REQUIRED WHEN TC OPT FIELD = 81

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _

TELNO _ _ _ _ _ _ _ _ _ _ TCTO PRIMARY MUST BE 10 NUMERICS

PORT-16

DATA FIELD:	TCTO SECONDARY (TRANSFER OF CALLS TO S								LEGEND:	C = CONDITIONAL
	ACTIVITY TYPE (LINE LEVEL)									P = PROHIBITED
	A	C	D	R	V	W	Y	L	P9	R = REQUIRED
REQTYP										O = OPTIONAL
F	N	C	C	N	N	N	C	C	N	N = NOT APPLICABLE (NOT EDITED)

EDITS:

REQUIRED WHEN TC OPT FIELD = 81

DATA CHARACTERISTICS: 10N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _

TELNO _ _ _ _ _ _ _ _ _ _ TCTO SECONDARY REQUIRED WHEN TC OPT FIELD = 81

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _

TELNO _ _ _ _ _ _ _ _ _ _ TCTO SECONDARY MUST BE MINIMUM OF 10 NUMERICS

PORT-17

DATA FIELD: ____ TC NAME-PRIMARY (TRANSFER OF CALLS TO PRIMARY NAME)

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	N	C	C	N	N	N	C	C	N

EDITS:

FATAL- CONDITIONS

SAME AS ERROR MESSAGE

DATA CHARACTERISTICS: UP TO 35AN

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM** _ _ _ _ **TELNO** _ _ _ _ _ _ _ _ _ _

TC NAME-PRIMARY REQUIRED WHEN TC OPT = 81

PORT-18

DATA FIELD: ___ **TC NAME-SECONDARY (TRANSFER OF CALLS TO SECONDAY NAME)**

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	N	C	C	N	N	N	C	C	N

FATAL-CONDITIONS

SAME AS ERROR MESSAGE

DATA CHARACTERISTICS: UP TO 35AN

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO_ _ _ _ _ _ _ _ _ _

TC NAME SECONDARY REQUIRED WHEN TC OPT = 81

PORT-19

11:08 AM10/8/97

DATA FIELD: ___ **TC PER-CC (TRANSFER OF CALLS TO PERIOD CENTURY)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P9**
REQTYP									
F	N	C	C	N	N	N	C	C	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 2N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TC PER-CC REQUIRED WHEN TC PER DATE FIELD IS POPULATED

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TC PER-CC MUST BE CURRENT OR FUTURE CENTURY

PORT-20

DATA FIELD: _____ TC PER-DATE (TRANSFER OF CALLS PERIOD DATE)

ACTIVITY TYPE (LINE LEVEL)								
A	C	D	R	V	W	Y	L	P0

REQTYP	A	C	D	R	V	W	Y	L	P0
F	N	C	C	N	N	N	C	C	N

DATA CHARACTERISTICS: 6N

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TC PER-DATE REQUIRED WHEN TCTO-PRIMARY FIELD IS POPULATED

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TC PER-DATE MUST BE VALID DATE OF 6 NUMERICS

PORT-21

DATA FIELD: **SYSTEM ID (SYSTEM IDENTIFICATION)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 5AN

PORT-22

DATA FIELD: _____ **CABLE ID (CABLE IDENTIFICATION)**

ACTIVITY TYPE (LINE LEVEL)								
A	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P9**

REQTYP	A	C	D	R	V	W	Y	L	P9
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 5AN

PORT-23

DATA FIELD: SHELF (SHELF)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
F	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 6AN

PORT-24

11:08 AM 10/8/97

DATA FIELD: ___ SLOT (SLOT)

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 6AN

PORT-25

DATA FIELD:	CHAN/PAIR (CHANNEL/PAIR)									LEGEND: C = CONDITIONAL

	ACTIVITY TYPE (LINE LEVEL)								
REQTYP	**A**	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P0**
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 5AN

PORT-26

DATA FIELD: ___ **CFA (CONNECTING FACILITY ASSIGNMENT)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 42AN

ERROR CODE:_ _ _ **REFNUM:**_ _ _ _ **TELNO:**_ _ _ _ _ _ _ _ _ _ **CFA INVALID FORMAT**

PORT-27

DATA FIELD: ___ SGNL (SIGNALING)

	ACTIVITY TYPE (LINE LEVEL)								
	A	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P9**
REQTYP									
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 2AN

VALID ENTRIES:

LS, GS, WS, DD, IM, DC, AT, E1, E2, E3

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TEL NO _ _ _ _ _ _ _ _ _ _

SGNL VALID ENTRIES ARE LS, GS, WS, DD, IM, DC, AT, E1, E2, E3

PORT-28

DATA FIELD:	**PULSE (TYPE OF PULSING)**									

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P0
REQTYP									
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 2A 0R 4A

VALID ENTRIES: DP, MF OR DTMF

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _ _

PULSE MUST BE DP, MF OR DTMF

PORT-29

DATA FIELD: ___ **TBE (TOLL BILLING EXCEPTION)**

ACTIVITY TYPE (LINE LEVEL)								
A	**C**	**D**	**R**	**V**	**W**	**Y**	**L**	**P9**

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

REQTYP									
F	O	O	P	P	O	O	O	P	P

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 1A

VALID ENTRIES: A, B, C, R, S

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TBE PROHIBITED ON THIS LNA TYPE

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

TBE MUST BE VALID ENTRY OF A, B, C, R OR S

PORT-30

DATA FIELD: ___ FA (FEATURE ACTIVITY)

ACTIVITY TYPE (LINE LEVEL)								
A	C	D	R	V	W	Y	L	P9

REQTYP									
F	C	C	C	C	C	C	C	C	C

EDITS:

FATAL - CONDITIONS

1. REQUIRED WHEN THE FEATURE FIELD IS

   POPULATED

DATA CHARACTERISTICS: 1A

VALID ENTRIES: A, C, D

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

REQUIRED WHEN THE FEATURE FIELD IS POPULATED

ERROR CODE: _ _ _ _ ERROR MSG: REFNUM _ _ _ _ TELNO _ _ _ _ _ _ _ _ _ _

MUST BE A, C, OR D

PORT-31

DATA FIELD: ___ **FEATURE (FEATURE CODES)**

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	C	C	C	C	C	C	C	C	C

DATA CHARACTERISTICS: UP TO 6AN

ERROR CODE: _ _ _ _ **ERROR MSG: REFNUM** _ _ _ _ **TELNO** _ _ _ _ _ _ _ _ _ _

FEATURE REQUIRED WHEN THE FEATURE ACTIVITY (FA) FIELD IS POPULATED

PORT-32

11:08 AM 10/8/97

DATA FIELD: **FEATURE DETAIL (FEATURE DETAIL)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 30AN

PORT-33

DATA FIELD: **CKR (CUSTOMER CIRCUIT REFERENCE)**

REQTYP	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
F	O	O	O	O	O	O	O	O	O

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: UP TO 36 AN

PORT-34

DATA FIELD: **ECCKT (EXCHANGE COMPANY CIRCUIT ID)**

	ACTIVITY TYPE (LINE LEVEL)								
	A	C	D	R	V	W	Y	L	P9
REQTYP									
F	O	O	O	O	O	O	O	O	O

DATA CHARACTERISTICS: UP TO 36 AN

ERROR CODE:_ _ _ _ **ERROR MSG: REFNUM**_ _ _ _ **ECCKT MUST BE CLT, CLF, OR CLS FORMAT**

PORT-35

11:08 AM 10/8/97

DATA FIELD: **REFNUM (REFERENCE NUMBER)**

REQTYP	ACTIVITY TYPE (ACCOUNT LEVEL)									
	A	**C**	**D**	**M**	**T**	**R**	**V**	**SS**	**RS**	**W**
A	R	R	R	R	R	R	R	N	N	N
B	R	R	R	R	R	R	R	N	N	N
C	R	R	R	R	R	R	R	N	N	N

LEGEND: C = CONDITIONAL

P = PROHIBITED

R = REQUIRED

O = OPTIONAL

N = NOT APPLICABLE (NOT EDITED)

DATA CHARACTERISTICS: 4N

ERROR CODE: _ _ _ _ **ERROR MSG:** **REFNUM REQUIRED**

ERROR CODE: _ _ _ _ **ERROR MSG:** **REFNUM MUST BE 4 NUMERICS**

LOOP 5/INP 5/LINP 6

UNE-1